

2025 NEW

BOSTON

W1M/H

Series

M

MUSE

THERMO PU

缪斯变色革

"H": 此编号可提供含涂产品。

"H": Coated products are available with this number.



W1M208/H



W1M207/H



W1M04/H



W1M210/H




W1M209/H




W1M24/H



W1M206/H



W1M15/H




W1M06A/H




W1M172/H



W1M58/H




W1M41/H



W1M00/H




W1M101/H



W1M07/H

特殊色起订量500米。

The MOQ of special color is 500 meters.



- STANDARD SIZE -
1400mm×50M/R

- SAMPLE SIZE -
700mm×500mm




W1M40/H




W1M140/H




W1M218/H



W1M09A/H




W1M09/H




W1M05A/H



W1M114/H



W1M03/H



W1M05/H

产品可能产生行业标准允许范围内色差, 请勿将不同批次产品混用。

Different production lots may have color variation within the allowable range of industry standards and different lots should not be mixed for one production.



Foil stamping 烫金



Hot stamping 热压变色



Screen printing 丝网印刷



Embroid 刺绣



UV/Inkjet Printing UV/喷墨打印



Laser 激光雕刻



DATA SHEET

厚度Thickness	0.65±0.05mm
宽度Width	≥1400mm
长度(常规卷)Roll length	50M
热压温度Burnishing	320-360 °F/ 160-180 °C
烫金温度Foil Stamping	230-250 °F/ 110-120 °C