

SHANGHAI

*W3C/H &
M4C/H
series*

MUSE

缪斯变色革 THERMO PU



DATA SHEET

厚度Thickness	0.70±0.05mm
宽度Width	≥1400mm
长度(常规卷)Roll length	50M
热压温度Burnishing	320-360 °F/ 160-180 °C
烫金温度Foil Stamping	230-250 °F/ 110-120 °C

ACTIVA

Alliance for Creating Technology of Innovative Value
www.activapu.com

STANDARD SIZE : 1400mm × 50M/ R
SAMPLE SIZE : 700mm × 500mm

W3C/H *series*

SHANGHAI MUSE THERMO PU



W3C112/H



W3C114/H




W3C115/H



W3C172/H




W3C03/H



W3C58/H




W3C05/H



W3C43/H



W3C07/H





* 显示器性能不同可能导致
电子样本与实物有差异。

W3C/H *series*



"H": 此编号可提供含涂产品。

"H": Coated products are available with this number.

SHANGHAI

MUSE THERMO PU

特殊色起订量500米。

The MOQ of special color is 500 meters.




W3C00/H



W3C193/H




W3C40/H




W3C30



W3C04/H




W3C117/H




W3C41/H




W3C165/H




W3C24/H



W3C15/H



W3C186/H



W3C174/H



W3C06A/H



W3C06/H



W3C199/H


W3C/H *series*

SHANGHAI

MUSE THERMO PU



W3C194/H



W3C09/H




W3C45/H



W3C181/H




W3C17/H




W3C05A/H



W3C196/H



W3C101/H




W3C01/H


M4C/H *series*

SHANGHAI


MUSE THERMO PU




M4C29/H




M4C01/H




M4C10/H



M4C22



M4C09/H



M4C11/H


M4C/H *series*

SHANGHAI

MUSE THERMO PU




M4C02/H




M4C23/H




M4C17/H




M4C03/H




M4C30




M4C24/H



M4C47/H



M4C06/H



M4C27/H



M4C16/H



M4C07/H