



AMARONE

D65/H series

MUSE

缪斯变色革 THERMO PU



DATA SHEET

厚度Thickness	0.70±0.05mm
宽度Width	≥1400mm
长度(常规卷)Roll length	50M
热压温度Burnishing	320-360 °F/ 160-180 °C
烫金温度Foil Stamping	230-250 °F/110-120 °C

ACTIVA

Alliance for Creating Technology of Innovative Value
www.activapu.com

D65/H *series*

STANDARD SIZE : 1400mm × 50M/ R
SAMPLE SIZE : 700mm × 500mm



AMARONE D65/H


Ideal is the beacon.
Without ideal,
there is no secure direction;
without direction, there is no life.
Leo Tolstoy

MUSE

THERMO
PU

by

ACTIVA



D6516H




D6549H




D6546H



D6521H



D6520H



D6524H



D6547H



D6535H



D6555H



D6501AH

产品可能产生行业标准允许范围内色差, 请勿将不同批次产品混用。

Different production lots may have color variation within the allowable range of industry standards and different lots should not be mixed for one production.



* 显示器性能不同可能导致
电子样本与实物有差异。

AMARONE

MUSE THERMO PU




"H": 此编号可提供含涂产品。


"H": Coated products are available with this number.



D6508/H



D6510/H



D6571/H



D6570/H




D6502/H




D6504/H




D6538/H



D6531/H




D6572/H



D6541/H



D6511/H



D6501/H



D6515/H



D6506A/H



D6506



D6517/H




D6582/H



D6522/H



D6500/H



D6507/H



D6509A/H



D6509/H



D6505/H



D6503/H



D6534

特殊色起订量500米。

The MOQ of special color is 500 meters.